

L Number	Hits	Search Text	DB	Time stamp
69	168862	temperature near3 control\$4	USPAT	2004/05/17 14:16
70	2496	array\$3 near3 grating\$1	USPAT	2004/05/17 14:16
73	0	6477294.URPN.	USPAT	2004/05/17 14:16
74	31760	temperature near3 monito\$4	USPAT	2004/05/17 14:16
75	2	((temperature near3 monito\$4) with (array\$3 near3 grating\$1)	USPAT	2004/05/17 14:16
76	3548	awg	USPAT	2004/05/17 14:16
77	13	((temperature near3 control\$4) with awg	USPAT	2004/05/17 14:17
78	2	((temperature near3 monito\$4) with awg	USPAT	2004/05/17 14:17
79	16	((temperature near3 monito\$4) with (array\$3 near3 grating\$1)) or ((temperature near3 control\$4) with awg) or ((temperature near3 monito\$4) with awg)	USPAT	2004/05/17 14:17
82	18277	multiplex\$4.ti.ab.	USPAT	2004/05/17 14:17
83	0	1.ab. and multiplex\$4.ti.ab.	USPAT	2004/05/17 14:17
84	0	((1.ab. and multiplex\$4.ti.ab.) not (((temperature near3 monito\$4) with (array\$3 near3 grating\$1)) or ((temperature near3 control\$4) with awg) or ((temperature near3 monito\$4) with awg)) not ((temperature near3 control\$4) with (array\$3 near3 grating\$1))) not ((temperature near3 control\$4) with (array\$3 near3 grating\$1)))	USPAT	2004/05/17 14:17
85	54	peltier same multiplex\$4	USPAT	2004/05/17 14:17
71	16	((temperature near3 control\$4) with (array\$3 near3 grating\$1)	USPAT	2004/05/17 14:17
72	7	("4904037" "5684899" "5799118" "5854700" "5915054" "5930439" "5938811").PN.	USPAT	2004/05/17 14:42
80	12	((((temperature near3 monito\$4) with (array\$3 near3 grating\$1)) or ((temperature near3 control\$4) with awg) or ((temperature near3 monito\$4) with awg)) not ((temperature near3 control\$4) with (array\$3 near3 grating\$1)))	USPAT	2004/05/17 14:17
81	20	5617234.URPN.	USPAT	2004/05/17 14:17
86	54	((peltier same multiplex\$4) not ((1.ab. and multiplex\$4.ti.ab.) not (((temperature near3 monito\$4) with (array\$3 near3 grating\$1)) or ((temperature near3 control\$4) with awg) or ((temperature near3 monito\$4) with awg)) not ((temperature near3 control\$4) with (array\$3 near3 grating\$1))) not ((temperature near3 control\$4) with (array\$3 near3 grating\$1)))	USPAT	2004/05/17 14:17
87	758	385/37.ccls. and temperature	USPAT	2004/05/17 14:18
88	155	385/37.ccls. and temperature and (array\$3 near2 grating\$1)	USPAT	2004/05/17 14:18
89	79	temperature near3 stablitz\$4	USPAT	2004/05/17 14:41
90	0	(array\$3 near3 grating\$1) with (temperature near3 stablitz\$4)	USPAT	2004/05/17 14:42
91	0	awg with (temperature near3 stablitz\$4)	USPAT	2004/05/17 14:42